

10/575953

1 IAP15 Rec'd PCT/PTO 13 APR 2006

SYSTEM FOR PERFORMING INDUCED LIMB MOVEMENTS,
PARTICULARLY FOR REHABILITATING AND SPORTS PURPOSES

Technical field

The present invention relates to a system for performing induced limb
5 movements, particularly for rehabilitating, sports-related and similar
purposes. More particularly, the invention relates to a system for the guided
execution of limb movements on the part of a patient, particularly for
rehabilitating, sports-related and similar purposes.

Background art

10 As is known, the neuromuscular system of a person is meant to
coordinate all the motor functions that a person can perform under the
control of the brain.

In case of traumatic or circulatory or degenerative events, if there has
been a partial and/or momentary interruption of the neuromuscular
15 pathways, the coordination of movements, i.e., the pulses that the brain
sends to the nerves by means of the neurons in order to make the person
perform movements ordered by the brain, may be damaged, and therefore
the patient must undergo rehabilitating treatments in order to require the
motor control he has lost.

20 For this purpose, particular rehabilitation techniques are used in
which the patient must perform, with the injured limb, a particular
movement, which is traced on the surface; i.e., the patient must follow, with
his limb, as much as possible, a preset path.

However, these techniques, which allow to rehabilitate muscle and
25 tendon proprioception sensors, i.e., the sensors meant to detect the quality
and quantity of musculo-skeletal contraction/elongation, and somesthetic
sensors, i.e., the sensors meant to detect the position of the various segments
of the limb, are affected by drawbacks.

First of all, physicians or physiotherapists have an objective difficulty
30 in acquiring the data arriving from the patient, i.e., in tracking the progress

gradually made by the patient, since the movement that the patient must perform is usually traced on a surface and therefore a trace of the movements that the patient has performed does not remain in each instance and it is not possible to compare the path that the patient should have followed with the injured limb and the path that he has actually followed, so as to constantly monitor the improvement and/or deterioration that the patient undergoes during therapy.

Moreover, the use of predefined paths, traced on the surface, without any external aid, does not allow to perform the type of therapy in which the patient is ordered to follow a path by applying a certain pressure with the limb in following said path.

The pressure is particularly important, since applying it trains not only the somesthetic sensors but also the muscle and tendon proprioception sensors, which detect the quality and quantity of muscle contraction or elongation.

The foregoing applies both to the case of rehabilitation therapies and to the case of the use of the previously cited techniques for sports- and fitness-related purposes in general.

Summary of the invention

The aim of the present invention is to provide a system for performing induced limb movements, particularly for rehabilitating, sports and similar purposes, which allows the patient to perform a given work, without the mandatory presence of an operator who submits to the patient the various types of path that he must trace with the injured limb or limbs.

Within this aim, an object of the present invention is to provide a system for performing induced limb movements that allows the patient to work uninterruptedly, with a preset progression of the difficulty of the movements.

Another object of the present invention is to provide a system for performing induced limb movements that allows to have a substantially

infinite plurality of different work programs available for the patient.

Another object of the present invention is to provide a system for performing induced limb movements that allows the patient to perform work that is repeatable over time and whose outcome can be verified by an
5 operator.

Another object of the present invention is to provide a system for performing induced limb movements that is highly reliable, relatively simple to provide, and at competitive costs.

This aim and these and other objects that will become better apparent
10 hereinafter are achieved by a system for performing induced limb movements, particularly for rehabilitating, sports-related and similar purposes, characterized in that it comprises a central processing unit, at least one peripheral unit that is adapted to be used by a patient in order to reproduce a rehabilitation path displayed by said processing means, said
15 peripheral unit being provided with position sensors that are adapted to transmit position signals to said processing unit in order to reconstruct the path traced by the patient on said processing unit.

Brief description of the drawings

Further characteristics and advantages of the invention will become
20 better apparent from the description of preferred but not exclusive embodiments of the system according to the present invention, illustrated by way of non-limiting example in the accompanying drawings, wherein:

Figure 1 is a block diagram of the system according to the present invention;

25 Figure 2 is a view of the system according to the present invention, applied to a non-flat surface; and

Figure 3 is a side view of the device.

Ways of carrying out the invention

With reference to the figures cited above, the system according to the
30 present invention, generally designated by the reference numeral 1,

comprises data processing means, which are conveniently constituted for example by a personal computer 2 provided with display means 3, which allow to display a plurality of paths, which are programmed in the personal computer 2 and which the patient must follow with the injured limb or limbs
5 that he accordingly wishes to rehabilitate or exercise.

Conveniently, the patient is provided with means adapted to reproduce on any surface a path that is displayed on the display means 3 of the personal computer 2. Said means adapted to reproduce said preset path are conveniently constituted by a peripheral unit or terminal 4, which is
10 adapted to communicate with the personal computer 2, for example by means of an infrared port, and is provided with position sensors 5, which allow to send to the personal computer signals that are adapted to identify at each instant the position of the peripheral unit 4 on a given surface 6 on which the patient moves the peripheral unit 4 in order to reproduce a path
15 that is displayed on the display means 3 of the personal computer 2.

Substantially, if the injured limb is an upper limb, the patient grips the peripheral unit 4, or otherwise, if the injured limb is one of the lower limbs, he rests his foot on the peripheral unit 4, and moves it on the surface 6, which can be either flat or three-dimensional, as shown for example in
20 Figure 2, and tries to produce the path displayed on the display means 3, by appropriately moving the affected limb.

The peripheral unit 4 constantly sends to the personal computer 2 signals that indicate the position of the peripheral unit 4 with respect to the surface 6, so as to display on the display means 3 the path that the patient is
25 actually tracing on the surface 6, in order to be able to then compare it with the predefined path displayed on the display means 3.

The match, or lack thereof, or the offset, between the predefined path that the patient must try to reproduce and the path actually produced by the patient gives the operator an indication of the capabilities and of the health
30 status of the patient in relation to the affected limb.

Conveniently, the personal computer 2 is provided with means that are adapted to process the path traced by the patient and to make a comparison between said path and the predefined path displayed by the display means 3, and to produce a result that indicates the degree of match, or lack thereof, between the two paths.

Advantageously, the peripheral unit 4 can be provided with pressure sensors 7, which are adapted to detect the pressure that the user applies to the peripheral unit 4, as a consequence of a given command issued by the rehabilitation program set on the personal computer 2, and to transmit said pressure data item to the personal computer 2, which is provided with means that are adapted to constantly compare the pressure value read by the pressure sensors 7 with the pressure value that the rehabilitation program expects the patient to apply to the peripheral unit 4.

Conveniently, the connection between the peripheral unit 4 and the processing means constituted by the personal computer 2 may occur not only by means of an infrared port but also by means of any other type of connection, such as cable, wireless and the like.

Conveniently, a plurality of peripheral units 4, for example two, may be provided so that the patient performs a bilateral movement simultaneously for particular rehabilitation requirements.

In practice it has been observed that the system according to the present invention fully achieves the intended aim and objects, since it allows a patient to perform induced limb movements by using peripheral units 4 that are remotely connected to processing means and allow to propose a plurality of different rehabilitation paths, without requiring the presence of an operator in order to modify the path to be submitted to the patient, and especially with the possibility to provide repeatable work that can be verified by the operator, so as to assess the improvements performed in each instance by the patient.

The system thus conceived is susceptible of numerous modifications

and variations, all of which are within the scope of the same inventive concept; all the details may further be replaced with other technically equivalent elements.

In practice, the materials used, as well as the contingent shapes and
5 dimensions, may be any according to requirements and to the background art.

The disclosures in Italian Patent Application no. MI2003A002126, from which this application claims priority, are incorporated herein by reference.

CLAIMS

1. A system for performing induced limb movements, particularly for rehabilitating, sports-related and similar purposes, characterized in that it comprises a central processing unit, at least one peripheral unit that is adapted to be used by a patient in order to reproduce a rehabilitation path displayed by said processing means, said peripheral unit being provided with position sensors that are adapted to transmit position signals to said processing unit in order to reconstruct the path traced by the patient on said processing unit.
2. The system according to claim 1, characterized in that said processing unit comprises means that are adapted to process said signals that arrive from said sensors of said peripheral unit and to make a comparison between said path traced by the patient and said predefined path displayed by said processing unit.
3. The system according to claim 1, characterized in that said peripheral unit is connected to said processing unit by means of a radio link.
4. The system according to claim 1, characterized in that said at least one peripheral unit is connected to said processing unit by means of an infrared link.
5. The system according to claim 1, characterized in that said peripheral unit is connected to said processing unit by means of a cable.
6. The system according to one or more of the preceding claims, characterized in that said peripheral unit is moved by the patient over a flat surface.
7. The system according to one or more of the preceding claims, characterized in that said at least one peripheral unit is moved by the patient over a non-flat surface.
8. The system according to one or more of the preceding claims, characterized in that said at least one peripheral unit is provided with pressure sensing means, which are adapted to send a pressure signal to said

processing unit.

9. The system according to one or more of the preceding claims, characterized in that said processing unit comprises means that are adapted to process said pressure signal in order to compare it with a pressure value
5 that is preset in said processing unit and is associated with a particular program and path that the patient is following.

1/1




Fig. 1




Fig. 2




Fig. 3

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A63B23/12

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A63B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 429 140 A (BURDEA ET AL) 4 July 1995 (1995-07-04) column 3, line 3 - column 5, line 10; figures 1-3	1-9
X	US 5 791 351 A (CURCHOD ET AL) 11 August 1998 (1998-08-11) abstract; figure 2	1-7
X	WO 01/08755 A (SMITH & NEPHEW PLC; GRANVILLE, NICHOLAS, WILLIAM; POUNDER, NEILL, MALC) 8 February 2001 (2001-02-08) the whole document	1-9
A	US 5 241 952 A (ORTIZ ET AL) 7 September 1993 (1993-09-07) the whole document	1



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- * & * document member of the same patent family

Date of the actual completion of the international search

3 February 2005

Date of mailing of the international search report

16/02/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Jekabsons, A

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IB2004/003583

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5429140	A	04-07-1995	NONE	
US 5791351	A	11-08-1998	US 5826578 A JP 10501156 T JP 2004283607 A WO 9532666 A1	27-10-1998 03-02-1998 14-10-2004 07-12-1995
WO 0108755	A	08-02-2001	AU 4940500 A CA 2375333 A1 EP 1185340 A1 WO 0108755 A1 JP 2003505217 T	19-02-2001 08-02-2001 13-03-2002 08-02-2001 12-02-2003
US 5241952	A	07-09-1993	NONE	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.